

SPLIT

Work Order ID 98110

98110

Page 1

March-06-13 1:45:46 PM

Item ID: D6020-160

Accept

N900040100

Setup Start *NS1*

Revision ID: PRELIM

Stop *NS2*

Item Name: Crosstube Material

Start Date: 3/06/13 Start Qty: 20.00

20

Cust Item ID:

Required Date: 3/06/13 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start *NR1*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr

Revision Nbr

D6020

pa3

110

0.00

110

PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 15494
Manufacture as per dwg D6020

u 11-21-11

120

Receive & Inspect for Damage & Mat'l Certs

0.00

120

Packaging

Memo

0.00

Packaging

Ensure material certification is attached

1/43/2/26(20)

130

QC6- Inspect dimensions to drawing

0.00

130

QC

Memo

0.00

Quality Control

Ensure Material certification comply to Dwg

140 crosstube - drill 1/4" hole for tooling at one end

Work Order ID 98110

98110

Page 2

March-06-13 1:45:46 PM

Item ID: D6020-160

Accept

N900040100

Setup Start *NS1*

Revision ID: PRELIM

Stop *NS2*

Item Name: Crosstube Material

Start Date: 3/06/13 Start Qty: 20.00

20

Cust Item ID:

Required Date: 3/06/13 Req'd Qty: 20.00

20

Customer:

Reference:

Run Start *NR1*

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Stop *NR2*

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

140

Outsource process - Heat Treat

0.00

140

Outsource!

Memo

0.00

Outsource process - Heat Treat

Issue p/o: _____
Ensure Material certification

150

Receive & Inspect for Damage & Mat'l Certs

0.00

150

Packaging

Memo

0.00

Packaging

Ensure Material certification

160

QC6- Inspect dimensions to drawing

0.00

160

QC

Memo

0.00

Quality Control

Work Order ID 98110

March-06-13 1:45:46 PM

98110

Page 3

Item ID: D6020-160
Revision ID: PRELIM
Item Name: Crosstube Material

Accept

N900040100Setup Start ***NS1***Stop ***NS2***

Start Date: 3/06/13 Start Qty: 20.00

20

Cust Item ID:

Required Date: 3/06/13 Req'd Qty: 20.00

20

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Run Start ***NR1***Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

190

Identify as per dwg & Stock Location: _____

0.00

190

Packaging

Memo

0.00

Packaging

200

QC21- Final Inspection - Work Order Release

0.00

200

QC

Memo

0.00

Quality Control

U 130502



Sede Legale: 23018 TALAMONA (SO) - Via Chini Battista, 60 - C.P. 43
Tel. (0342) 67.41.11 (8 linee) - Fax (0342) 67.04.00
Indirizzo Internet: <http://www.siderval.it>
[http://www.siderval.it](mailto:siderval@siderval.it)
E-mail: siderval@siderval.it
Capitale Sociale € 2.860.000 int. versato
Società soggetta a direzione e coordinamento di
Calvi Holding Srl di Merate (LC)
R.I. Sondrio, C.F. e P.IVA 00072570146 - REA 25414

Amministrazione:
25047 BOARIO TERME (BS)
Viale A. Manzoni, 23
Tel. (0364) 53.42.47
Fax (0364) 53.45.25



SPECIAL STEEL PROFILES

EXPORT INVOICE

23018 Talamona, 15/02/2013

ID NR. IT 00072570146

FATTURA N. / Invoice No. / Rechnung / Facture 456/2013		D.D.T. N. 369	
15/02/2013		15/02/2013	
N. CONFERMA / Sales conf. No / AB. Nr. / Conf. de vente 1448-2 DEL 21/11/2012		CODICE FISCALE / PARTITA IVA *nor. comun.*	
ORDINE / Order / Bestellung / Commande PO15494		PAGINA / Page / Seite / Page 1	
RAPP. 20			
DATA ORDINE 15/11/2012		SPEDIZIONE / Transport / Versand / Expedition BY AIR	
RESA / Delivery / Lieferung / Rendue DAP HAWKESBURY, ON K6A 1K7		CODICE CLIENTE 70.0013	
PAGAMENTO / Payment terms / Zahlung / Paiement 30 days from mat.recept.			
BANCA D'APPOGGIO / Bank / Bank / Banque			

SPETTABILE

DART AEROSPACE LTD.

**1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
CANADA**

DESTINAZIONE / Delivery address / Versandanschrift / Destination

**DART AEROSPACE Ltd.
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
CANADA**

CONTATTO

**MRS.LINDA LACELLE
+1 613 632 9577
+1 613 632 1053**

POS.	DESCRIZIONE / DESCRIPTION / BESCHREIBUNG DESCRIPTION	PROF. NR.	N. pezzi No: pieces Stückzahl Nr. pieces	Quantità Quantity Menge Quantité Kg.	Prezzo / Price Preis / Prix	U.M.	Importo / Amount Betrag / Montant USD
1	SPECIAL HOT EXTRUDED TUBE IN SS.17-4-PH as ASTM A564 acc.to our Dwg.PRE/12829 of 09/11/12, Nr.20 straight bars in C/L of 159"+4"-0" Ø 3.289" x 0.444" Ref.D6020-159 Ln.1 TARIFFA DOG.: 72.22.40.10	5256	20	1.598	2.568,00	PZ	51.360,00
2	AIR FREIGHT COSTS =====	9909	1		7.900,00	PZ	7.900,00
	MATERIAL MADE IN ITALY =====						
	GROSS WEIGHT KG.1712 NET WEIGHT KG.1598 NR.1 WOODEN BOX DIM.650X500X4200 MM. =====						
	COMPLETE shipment P.O. n. PO15494						

IMP. NON SOGG. USD	IMP. ESENTE USD	IMPONIBILE	I.V.A. USD	IMPONIBILE 21% USD	I.V.A. 21% USD	TOTALE FATTURA / TOTAL AMOUNT ENDBETRAG / MONTANT TOTAL
						USD
						€

CONDIZIONI GENERALI DI VENDITA - La merce viaggia a rischio e pericolo del committente anche se spedita franco destino - Trascorsi dieci giorni dal ricevimento della merce non si accettano reclami di sorta - Per ogni contestazione il Foro competente è quello di Sondrio - Trascorso il termine convenuto per il pagamento, decorrono gli interessi di mora ai sensi di legge - Per tutte le altre CONDIZIONI di vendita valgono quelle sottodescritte dal Committente nella nostra conferma d'ordine.

Sistema di gestione per la qualità certificato UNI EN ISO 9001:2008. / Quality Management System UNI EN ISO 9001:2008



Via Chini Battista 60 - 23018 Talamona (SO)
Tel. (0342)674111 - Fax (0342)670400

Certificato di collaudo
Inspection certificate:

EN10204 3.1

No.: 12 144801 1

Date: 15/02/13

Norma di controllo
Regulations, Technical Requirements,
Standards, Norms and Specifications: **ASTM A 564**

Cliente / Besteller / Customer / Client

DART AEROSPACE LTD.**CANADA**

Ordine N° / Bestell-Nr. / Order No. / Commande N°

PO15494

Commessa N° / Werks-Nr. / Job No. / N° d'usine

1448.2

Profilo / Profile

P. 05256

Materiale / Werkstoff / Material / Matière

17-4-PH(H1100)

Lotto / Menge / Lot

12/3217Note: **DRAWING PRE/12829 KG.1598 20 BARS**

Marcatura

Kennzeichnung / Markings / Marquage

Stato di fornitura:

Lieferzustand / Supply condition / Etat de livr.

Normalizzato °C:

Normalgeglüht / Normalized / Normalisé

Dimensioni

Abmessung / Size / Dimension

Ricotto °C:

Geglüht / Annealed / Recuit

Solubilizzato a °C

Lösunggeglüht / Solution annealed / Tempéré a feu

Composizione chimica / Chemische Zusammensetzung / Chemical analysis / Composition chimique (%)

Fornitore:	Colata N°		C	Mn	Si	P	S	Cr	Mo	Ni	Nb	Cu	N						
Hersteller:	Schmelze Nr.																		
Supplier:	Cast No.	min																	
Fournisseur:	Coulée Nr.	max	0,0700	1,0000	1,0000	0,0400	0,0300	15,000		3,0000		3,0000							
								17,500		5,0000		5,0000							
AUBERT & D	U1118		0,0350	0,7600	0,2000	0,0180	0,0015	15,610	0,1400	4,2900	0,203	3,17	0,0300						

Prova	Trazione / Zugfestigkeit / Tensile test / Traction (DIN EN 10002-1, DIN EN 10002-5)								Resilienza (DIN EN 10045-1)				Durezza (DIN EN ISO 6506-1)
	Dimensioni		Temp.	Limite di elasticità		Carico di rottura	Allungamento	Strizione	Kerbschlagzähigkeit / Impact strength / Resilience			Hardness	
	Dimensionen / Dimensions			Streck-/dehngrenze / Yield point-Proof stress / Limite elastique		Zugfestigkeit / Tens. Strength / Rupture	Bruchdehnung / Elongation / Allongement	Brucheinschnürung / Reduction / Striction	L	Temp.	T		
Probe test essai	(mm)	(°C)	min max	Rp 0,2 (MPa)	ReH (MPa)	Rm (MPa)	A (%)	Z (%)	ISO-V (J)	(°C)	ISO-V (J)	(°C)	
		+20		795	965	14	31						
1	10 X 12.5	+20		895		966	19.4	68.1					

Note:

Timbro del produttore Zeichen des Lieferwerks/Stamp of the works/Timbre du prod.

Siderval
RESPONSABILE QUALITA'
Raimondo Mariotti

Checked:



Sede Legale: 23018 TALAMONA (SO) - Via Chini Battista, 60 - C.P. 43
Tel. (0342) 67.41.11 (8 linee) - Fax (0342) 67.04.00
Indirizzo Internet: <http://www.siderval.it>
<http://www.siderval.com>
E-mail: siderval@siderval.it
Capitale Sociale € 2.860.000 int. versato
Società soggetta a direzione e coordinamento di
Calvi Holding Srl di Merate (Lc)
R.I. Sondrio C.F. e P.IVA 00072570146 - REA 25414

Amministrazione:
25047 BOARIO TERME (BS)
Viale A. Manzoni, 23
Tel. (0364) 83.42.47
Fax (0364) 53.45.25



SPECIAL STEEL PROFILES

EXPORT INVOICE

23018 Talamona, 15/02/2013

ID NR. IT 00072570146

FATTURA N. / Invoice No. / Rechnung / Facture 456/2013		D.D.T. N. 369	
15/02/2013		15/02/2013	
N. CONFERMA / Sales conf. No / AB. Nr. / Conf. de vente 1448.2 DEL 21/11/2012		CODICE FISCALE / PARTITA IVA *non comun.*	
ORDINE / Order / Bestellung / Commande PO15494		PAGINA / Page / Seite / Page 2	
DATA ORDINE 15/11/2012		RAPP. 20	
SPEDIZIONE / Transport / Versand / Expedition BY AIR			
RESA / Delivery / Livraison / Rendue DAP HAWKESBURY, ON K6A 1K7		CODICE CLIENTE 70.0013	
PAGAMENTO / Payment terms / Zahlung / Paiement 30 days from mat.recept.			
BANCA D'APPOGGIO / Bank / Bank / Banque			

*continued

SPETTABILE

DART AEROSPACE LTD.

1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
CANADA

DESTINAZIONE / Delivery address / Versandanschrift / Destination

DART AEROSPACE Ltd.
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
CANADA

CONTATTO

MRS.LINDA LACELLE
+1 613 632 9577
+1 613 632 1053

POS.	DESCRIZIONE / DESCRIPTION / BESCHREIBUNG / DESCRIPTION	PROF. NR.	N. pezzi No. pieces Stückzahl Nr. pieces	Quantità Quantity Menge Quantité Kg.	Prezzo / Price Preis / Prix	U.M.	Importo / Amount Betrag / Montant USD
	WOODEN BOX; NON IMP.ART.8,P.A-NON RES OPERAZIONE NON IMPOIBILE QUALIFICAZIONE AC1 PRODOTTI 1° SCELTA COME DA DEF.CIRC. 20/87 DEL 14/05/87 MERCE DESTINATA ALL'ESPORTAZIONE =====		NR.	1			Tot.peso: 1.598
	PAYMENT WIRE TRANSFER =====						


Personal data Protection - Law n. 196/03

Pursuant to art. 13 of Italian Legislative Decree no. 196 of 30th June 2003, entitled "Personal Data Protection Law", we inform you that we shall process your general and tax data, as well as data of an economic nature that is necessary to perform the current or future contractual relations with your company. Your data shall be treated in relation to the contractual requirements, and the fulfilment of the legal and fiscal obligations. The data shall be processed by the use of instruments and procedures that are suitable to guarantee security and confidentiality and shall be performed on both paper and computer support. We would like to remind you that you can exercise the rights outlined in art. 7 of the Consolidated Act contacting us.
The Data Controller is Siderval S.p.A., Chini Battista street, 60 - 23018 Talamona (So).

IMP. NON SOGG. USD	IMP. ESENTE USD	IMPOIBILE USD	I.V.A. USD	IMPOIBILE 21% USD	I.V.A. 21% USD	TOTALE FATTURA / TOTAL AMOUNT ENDBETRAG / MONTANT TOTAL
59.260,00						USD 59.260,00
						€ 44.466,12

BANK BCA POP.SONDRIO-BOARIO T.(BS) NR.CONTO VARUS0002558
SWIFT : POSOIT22
IBAN IT33Y0569654440VARUS0002558

CONDIZIONI GENERALI DI VENDITA - La merce viaggia a rischio e pericolo del committente anche se spedita franco destino - Trascorsi dieci giorni dal ricevimento della merce non si accettano reclami di sorta - Per ogni contestazione il Foro competente è quello di Sondrio - Trascorso il termine convenuto per il pagamento, decorrono gli interessi di mora ai sensi di legge - Per tutte le altre CONDIZIONI di vendita valgono quelle sottodescritte dal Committente nella nostra conferma d'ordine.



Spett.le Ufficio Dogana Di Competenza

OGGETTO: DICHIARAZIONE DI LIBERA ESPORTAZIONE

Consapevoli di assumere ogni conseguente responsabilità, siamo a dichiararvi che tutto il materiale esportato con Ns. fattura N. 455/2013+456/2013 con destinazione USA Non è vincolata a licenze di esportazioni e quindi:

- **non rientra nell'elenco dei beni come da regolamento (CEE) n.1183/2007** del consiglio del 18 settembre 2007, che modifica e aggiorna il Regolamento (CE) n.1334/2000 che istituisce un regime comunitario di controllo delle esportazioni di prodotti e tecnologie a duplice uso (DUAL USE);
- **non rientra nell'elenco dei beni come da Regolamento (CEE) n.338/97** del Consiglio del 9 dicembre 1996, relativo alla protezione di specie della flora e della fauna selvatiche mediante il controllo del loro commercio (CONVENZIONE DI WASHINGTON - CITES);
- **non rientra nell'elenco dei beni culturali come da Regolamento (CEE) n.3911/92** del Consiglio del 9 dicembre 1992, relativo all'esportazione di beni culturali;
- **non rientra nell'elenco dei beni come da Regolamento (CEE) n.1236/2005** del Consiglio del 27 giugno 2005, relativo al commercio di determinate merci che potrebbero essere utilizzate per la pena di morte, per la tortura o per altri trattamenti o pene crudeli, inumani o degradanti.

Talamona, 15/02/2013

Timbro e firma del responsabile

Siderval S.p.A.

Via Chini Battista, 60
23018 TALAMONA (SO)
Cod. Fisc. - Part. IVA: 00072570146

SPECIAL STEEL PROFILES

Sede Legale: 23018 TALAMONA (SO) - Via Chini Battista, 60 - C.P. 43
Tel. (0342) 67.41.11 (6 linee) - Fax (0342) 67.64.00
Indirizzo Internet: <http://www.siderval.it>
mailto:siderval@siderval.it

Amministratore:
25047 BOARIO TERME (BS)
Viale Al Mammi, 23
Tel. (0384) 53.42.47
Fax (0384) 53.46.26

Capitale Sociale € 2.860.000 int. Versato
Società soggetta a direzione e coordinamento di Calvi
Holding S.p.A. (Merate (LC))
RI. Sororis - C.F. e P.IVA 00072570146
REA 25614



**Siderval**

S.p.A.

Sede Legale: 23018 TALAMONA (SO) - Via Chini Battista, 60 - C.P. 43
Tel. (0342) 67.41.11 (8 linee) - Fax (0342) 67.04.00
Indirizzo Internet: <http://www.siderval.it>
<http://www.siderval.com>
E-mail: siderval@siderval.it
Capitale Sociale € 2.860.000 int. versato
Società soggetta a direzione e coordinamento di
Calvi Holding Srl di Merate (LC)
R.I. Sondrio, C.F. e P.IVA 00072570146 - REA 25414

Amministrazione:
25047 BOARIO TERME (BS)
Viale A. Manzoni, 23
Tel. (0364) 53.42.47
Fax (0364) 53.45.25

**SPECIAL STEEL PROFILES****EXPORT**

23018 Talamona, 21/11/2012

SALES CONF. NO. 1448 2		MAR	PAGE 1
ORDER PO15494			
ORDER DATE 15/11/2012	TRANSPORT BY AIR		
DELIVERY DAP HAWKESBURY, ON K6A 1K7		CUSTOMER CODE 70.0013	
PACKING WOODEN BOXES+PVC			
PAYMENT TERMS 30 days from mat.recept.			
BANK			

DART AEROSPACE LTD.**1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
CANADA**

DELIVERY ADDRESS


**DART AEROSPACE Ltd.
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
CANADA**

CONTACT NAME

**MRS.LINDA LACELLE
+1 613 632 9577
+1 613 632 1053**

We confirm acceptance of your order as detailed below, subject to our attached general terms and conditions.

POS.	OUR ORDER NR.	DESCRIPTION	QUANTITY	PRICE	USD
1	14482/05256 D3R	SPECIAL HOT EXTRUDED TUBE IN SS.17-4-PH as ASTM A564 acc.to our Dwg.PRE/12829 of 09/11/12, Nr.20 straight bars in C/L of 159"+4"/-0" Ø 3.289" x 0.444" Ref.D6020-159 Lh.1 Delivery time: 01/03/2013 q.tà: 1.647 TARIFFA DOG.: 72.22.40.10	PZ 20		2.568,00
2	14482/99909 D3R	AIR FREIGHT COSTS (to be determined at the time of release) Delivery time: 01/03/2013 q.tà: 1 =====	PZ 1		
		MTR: EN 10204/3.1 =====			
		DELIVERY CONDITION: - Chemical analysis: Acc.to ASTM A564 - Mechanical Test: min.yield tens.strength: 140 Ksi			



SIDERVAL S.p.A.



Siderval S.p.A.

Sede Legale: 23018 TALAMONA (SO) - Via Chini Battista, 60 - C.P. 43
Tel. (0342) 67.41.11 (8 linee) - Fax (0342) 67.04.00
Indirizzo Internet: <http://www.siderval.it>
E-mail: siderval@siderval.it
Capitale Sociale € 2.860.000 int. versato
Società soggetta a direzione e coordinamento di
Calvi Holding Srl di Merate (Lc)
R.I. Sondrio, C.F. e P.IVA 00072570146 - REA 25414

Amministrazione:
25047 BOARIO TERME (BS)
Viale A. Manzoni, 23
Tel. (0364) 53.42.47
Fax (0364) 53.45.25



SPECIAL STEEL PROFILES

EXPORT

23018 Talamona, 21/11/2012

*continued

SALES CONF.NO. 1448.2		MAR	PAGE 2
ORDER PO15494			
ORDER DATE 15/11/2012	TRANSPORT BY AIR		
DELIVERY DAP HAWKESBURY, ON K6A 1K7		CUSTOMER CODE 70.0013	
PACKING WOODEN BOXES+PVC			
PAYMENT TERMS 30 days from mat.recept.			
BANK			

DART AEROSPACE LTD.

**1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
CANADA**

DELIVERY ADDRESS

**DART AEROSPACE Ltd.
1270 ABERDEEN STREET
HAWKESBURY, ON K6A 1K7
CANADA**

CONTACT NAME

**MRS.LINDA LACELLE
+1 613 632 9577
+1 613 632 1053**

We confirm acceptance of your order as detailed below, subject to our attached general terms and conditions.

POS.	OUR ORDER NR.	DESCRIPTION	QUANTITY	PRICE	USD
		min.ultimate tens:strength 150 Ksi Max.yield tens.strength: 160 Ksi =====			
		PAYMENT WIRE TRANSFER =====			

Personal data Protection - Law n. 196/03

Pursuant to art. 13 of Italian Legislative Decree no. 196 of 30th June 2003, entitled "Personal Data Protection Law", we inform you that we shall process your general and tax data, as well as data of an economic nature that is necessary to perform the current or future contractual relations with your company. Your data shall be treated in relation to the contractual requirements, and the fulfilment of the legal and fiscal obligations. The data shall be processed by the use of instruments and procedures that are suitable to guarantee security and confidentiality and shall be performed on both paper and computer support. We would like to remind you that you can exercise the rights outlined in art. 7 of the Consolidated Act contacting us.
The Data Controller is Siderval S.p.A., Roma street, 39/C - 23018 Talamona (So).

Yours faithfully

TOTAL AMOUNT: USD 51.360,00

Encl.

TOTAL QUANTITY: 1.648,00

SIDERVAL S.p.A.

Mod: COM10 Rev.2 del 10.05.11



CONDIZIONI GENERALI DI VENDITA GENERAL CONDITIONS OF SALE

Mod. COM10 Rev.0 del 01/05/2011

CDZVE/ALL

Conferma di vendita

La conferma di vendita si basa sulle presenti condizioni generali che il Compratore è tenuto a leggere ed accettare. L'eventuale non accettazione va comunicata entro 3 giorni lavorativi dal ricevimento della conferma a mezzo posta elettronica, fax o posta ordinaria e può comportare la cancellazione della stessa qualora non si trovi un accordo. Decorso tale termine qualsiasi contestazione alle condizioni non verrà presa in considerazione ed eventuali richieste di annullamento ordine verranno vagliate singolarmente e saranno possibili solo a produzione non ancora avvenuta o a materia prima non ancora acquistata. Una volta scaduto il termine dei 3 giorni tutte le conferme non contestate verranno considerate approvate per tacito consenso. La quantità riportata sulle conferme ed il corrispettivo valore sono soggetti a variazioni nell'ordine generale del +/-10% (se non indicato diversamente nella conferma), dovute alla differenza tra peso teorico (calcolabile, fisso) del materiale e peso effettivo (non calcolabile, variabile) a produzione avvenuta. La Siderval SpA non è tenuta ad informare il cliente di eventuali variazioni qualora esse rientrino nei limiti generali o diversamente pattuiti. Il Compratore dovrà effettuare i propri pagamenti basandosi sull'importo fatturato, quindi effettivo, e non su quello confermato.

Contratti

Tutti i contratti stipulati a mezzo Agenti o Rappresentanti della Siderval SpA avranno valore solo se accettati dalla SIDERVAL SpA per iscritto, contro emissione della conferma di vendita.

Consegna

I termini di consegna riportati sulle conferme di vendita sono da considerarsi soggetti ad eventuali variazioni, siano esse dovute a causa di forza maggiore (scioperi del personale e/o dei trasporti, limitazioni di energia elettrica, calamità naturali, guasti degli impianti, ritardi di fornitura della materia prima), siano esse legate alle variabili che comporta il ciclo di produzione stesso e che non sono quantificabili a priori.

Collaudo

Il collaudo del materiale, salvo accordi diversi in fase d'ordine, ha luogo presso lo stabilimento SIDERVAL SpA di Talamona. Il prezzo del collaudo è fatturato separatamente solo quando è a carico di enti esterni richiesti dal cliente; in caso contrario è incluso nel prezzo di vendita.

Trasporti

Le condizioni di fornitura e trasporto si basano sugli INCOTERMS 2010.

A fronte di spedizioni a carico del destinatario la merce viaggia non assicurata a rischio e pericolo del Compratore; in caso di avarie, differenze di peso o altri danni imputabili al trasporto spetterà al Compratore rivolgersi al Trasportatore e rivalersi su di esso. La Siderval SPA non è responsabile di danni ed avarie emerse dopo la consegna della merce al Vettore.

Il peso valido agli effetti della fatturazione è sempre quello rilevato in partenza.

Una volta pronto il materiale il Compratore verrà informato e si dovrà procedere al ritiro entro massimo 15 giorni dalla notifica di approntamento. Decorso tale termine la Siderval SPA ha il diritto di spedire la merce con proprio trasportatore e addebitare i costi di trasporto al Compratore.

Prezzi

I prezzi sono solitamente indicati in euro (€) al kg al netto di oneri fiscali per la merce resa franco nostro stabilimento di Talamona. Su richiesta del Compratore è possibile fatturare in € al pezzo ed € al metro. Le transazioni con Paesi esteri possono esser confermate e fatturate in valuta estera. In base alle

Confirmation of sale

The confirmation of sale is based on the general conditions which the Buyer is required to read and accept. Any non-acceptance must be notified within 3 working days of receipt of the confirmation by e-mail, fax or regular mail and it could be cancelled if there is no agreement. After that date, any challenge to the conditions will not be considered, and any requests for cancellation will be assessed individually and will only be possible if production has not yet commenced or raw material purchased. Once the deadline of 3 days all confirmations uncontested will be considered as approved.

The quantities shown on the confirmation and the related value are subject to a variation of +/-10% (unless otherwise stated in the confirmation). SIDERVAL S.p.A. is not required to inform customers of any variations if they are within the general limits or as otherwise agreed. The Buyer must make their payments based on the amount invoiced, then effective, and not on the one confirmed.

Contracts

All contracts concluded by agents or representatives of SIDERVAL SpA are effective only when accepted by SIDERVAL S.p.A. in writing, with the issue of their confirmation of sale.

Delivery

The delivery times on the confirmation of sale are given in good faith and shall be considered always as only approximate and with reservations customary in the steel industry.

Testing

Material testing, unless otherwise agreed at time of order, takes place at the plant SIDERVAL SpA Talamona. The price of testing is billed separately only when it is borne by external agencies requested by the customer; otherwise it is included in the quoted price.

Transportation

The conditions of supply and transportation are based on INCOTERMS 2010. Risk passes to the purchaser upon the transfer of the goods to the transport agent or haulier or at the latest upon the goods leaving the works or storage.

In case of shipment from the consignee the goods travel are uninsured and at the risk of the buyer; in case of failures, differences in weight or other damage caused by transportation will be up to the Buyer to contact the Carrier and claim on it. SIDERVAL S.p.A. is not responsible for damages and damages arising after the delivery of goods to the carrier. Weight will be determined by our calibrated scales. Proof of weight will be the entry in our weighing records.


Once the material is ready, the Buyer will be notified and will have to take possession within a maximum of 15 days from the notification. After that date, SIDERVAL SPA has the right to ship the material with its carrier or to place them in a secure Third Party storage at the expense of the Buyer and at the Buyer's risk, and to bill the costs of transport or storage to the Buyer.

Prices

Prices are usually indicated in Euros (€) per kg net of tax for goods delivered ex-factory Talamona. On request of the Buyer, Siderval can charge per unit in € and € per meter. Transactions with foreign countries can be confirmed and invoiced in foreign currency. Under the conditions of carriage INCOTERMS agreed, the price may or may not include transportation costs.

In case of orders received with no prior offer or contract, SIDERVAL reserves the right to check and update the price and conditions ordered by the Buyer and notify the Buyer of any amendments.

05256



Eccentricity $\pm 15\%$

STRAIGHTNESS; 1mm/n.

SIDERVAL
s.p.a.

TALAMONA
Sondrio

MODIFICHE

Mat: 17-4-PH

Fin. Estruso

N.p.m.

Toll. ASV/27-A

KG/n. 20.4

DIS. Nr°

PRE/12829

Scala: 1:1

Disegn.

Linda Lacelle

From: Chris Provencal
Sent: March-06-13 12:36 PM
To: David Duval; Linda Lacelle
Cc: Eric Downing
Subject: D6020-PA3
Attachments: D6020-PA3.pdf

David D,

We've started working on some prototypes for 412 Hi Hi Crosstubes, which will be added to the D205-594 kits. We received from material from Siderval that needs to be heat treated. I don't have a dwg yet for the actual tube, but we need something to track the 5 pieces going out for heat treatment. Can we create a custom work order for:

D6020-160, for 5 tubes, with steps something like:

- receive / inspect from siderval, we'll attach Eric's measurements
- Drill ¼" thru hole for tooling at one end
- Heat treat per D6020 Rev. PA3
- Receive / inspect

That way these tubes will have their own batch number, and the eventual crosstube work orders will pull those parts.

-Chris

Inspection Procedure for D412 stainless steel cross tube extrusion

TUBE # AND SIDE	Total Length	OUTSIDE DIA		INSIDE DIA		WALL THICKNESS W/MIC		CENTER OUTSIDE DIA		STRIGHTNESS @ CENTER
		HIGEST & LOWEST		HIGEST & LOWEST		HIGEST & LOWEST		HIGEST & LOWEST		HIGEST & LOWEST
6 A	159.700"	3.300"	3.278"	2.401"	2.398"	0.448"	0.428"	3.305"	3.289"	0.013"
B	79.850"	3.305"	3.299"	2.401"	2.395"	0.468"	0.438"			
7 A	161.750"	3.299"	3.286"	2.406"	2.389"	0.448"	0.436"	3.311"	3.305"	0.009"
B	80.875"	3.306"	3.289"	2.401"	2.399"	0.451"	0.436"			
8 A	161.875"	3.301"	3.293"	2.402"	2.389"	0.449"	0.427"	3.304"	3.291"	0.0045"
B	80.9375"	3.291"	3.284"	2.406"	2.375"	0.442"	0.409"			
9 A	161.750"	3.309"	3.280"	2.412"	2.401"	0.444"	0.434"	3.281"	3.295"	0.014"
B	80.875"	3.307"	3.295"	2.421"	2.406"	0.439"	0.425"			
10 A	161.800"	3.402"	3.278"	2.396"	2.397"	0.451"	0.434"	3.296"	3.274"	0.0115"
B	80.900"	3.365"	3.251"	3.414"	2.400"	0.436"	0.411"			

STRIGHTNESS @ EVERY 12"

		12"	24"	36"	48"	60"	72"
TUBE # 6	A	0.011"	0.013"	0.0135"	0.0155"	0.015"	0.019"
	B	0.009"	0.0155"	0.011"	0.006"	0.0145"	0.014"
TUBE #7	A	0.012"	0.010"	0.0075"	0.0105"	0.012"	0.013"
	B	0.0095"	0.014"	0.0135"	0.0065"	0.013"	0.0095"
TUBE #8	A	0.0085"	0.0115"	0.016"	0.017"	0.0115"	0.014"
	B	0.011"	0.0135"	0.0145"	0.0155"	0.0125"	0.012"
TUBE #9	A	0.014"	0.016"	0.0165"	0.012"	0.014"	0.0075"
	B	0.0095"	0.0135"	0.010"	0.009"	0.010"	0.018"
TUBE #10	A	0.0095"	0.014"	0.0085"	0.0135"	0.006"	0.009"
	B	0.012"	0.0145"	0.008"	0.0105"	0.013"	0.0115"

WALL THICKNESS @ CENTER

TUBE #	R1	R2	R3	R4
1				
2	UNABLE TO MEASURE DUE TO TOO			
3	HEAVEY OF SCALE			
4				
5				